

MATERIAL SAFETY DATA SHEET

Date of Issue: 14/01/2008

STATEMENT OF HAZARDOUS NATURE

Hazardous according to criteria of Work safe Australia. This product becomes non-hazardous at concentrations below 3.3%.

COMPANY DETAILS

Company Jaegar Australia
Address: 2/9 Tower Crt, Noble Pk 3174
Telephone: (03) 9769-1788
Fax: (03) 9769-0655
Emergency Telephone: 0408 347 425

IDENTIFICATION

PRODUCT NAME: Cold Dip Degreaser

Other Names:

Manufacturer's Code: DD-103

Un No: 1593

Dangerous Goods Class

& Subsidiary Risk: N/A

Hazchem Code: 2(Z)

Poisons Schedule: S5

Use: Apply by swabbing, brushing or spraying with coarse jet or immersion.

PHYSICAL DESCRIPTION/PROPERTIES

Appearance: Brown Liquid

Melting Point: N/A

Vapour Pressure: N/A

Specific Gravity: 1.08

Flash Point: N/A

Flammability Limits: N/A

Solubility in water: 100%

Other Properties:

Corrosiveness: Corrosive to most metals.

Reactivity: Contact with combustible material may cause fire

PH (undiluted): Not available.

INGREDIENTS

Chemical name and CAS No as defined by the NOHSC Code 1008 list all hazardous substances. Other ingredients which are determined to be non-hazardous are listed by generic name or as "other ingredients determined not to be hazardous".

CHEMICAL NAME	CAS NO	PROPORTION
Methylene Chloride	75-09-2	<60%
Cresylic Acid	N/A	<10%
Trichloroethane 111	71-55-06	<30%
Surfactant	N/A	<10%
Water	7732-18-5	Balance

HEALTH HAZARD INFORMATION

Health Effects

Acute:

SWALLOWED: Nauseating. Irritating to mouth, throat and gastro intestinal tract.

EYE: Irritating

SKIN: Irritating on prolonged contact by defatting the skin.

INHALED: May cause dizziness or headache.

FIRST AID

SWALLOWED: Contact a doctor or Poisons Information Centre. If more than 15 minutes till a doctor can be seen, induce vomiting using Ipecac Syrup (APF).

EYE: If contacted in the eyes or on the face, remove contact lenses if worn. Hold eyes open and flood with water for at least 15 minutes. Get urgent medical attention.

SKIN: Remove all contaminated clothing and shoes. Wash skin thoroughly with water.

INHALED: Remove patient from contaminated area. Apply artificial respiration if patient is not breathing.

First Aid Facilities: Eye wash. Fresh water.

PRECAUTIONS FOR USE

EXPOSURE: TLV for Trichloroethane 111 is 350 ppm. TLV for Methylene Chloride is 50 ppm.

VENTILATION: Sufficient to maintain concentration below TLV.

PERSONAL PROTECTION: Neoprene gloves and safety glasses should be worn at all times when using this product.

FLAMMABILITY: Non-flammable.

SAFE HANDLING INFORMATION

STORAGE & TRANSPORT: Keep containers tightly closed. This product should be stored and transported in accordance with State and Territory Regulations.

SPILLS & DISPOSALS: Absorb on vermiculite or similar absorbing material. Collect into properly labelled drums. Contact local authorities with regard to correct disposal. Prevent by any means available spillage from entering storm water drains or watercourses.

FIRE/EXPLOSION HAZARD: Use water fog, foam or dry agent. Wear breathing apparatus and protective gloves for fire only.

OTHER INFORMATION:

The Time Weighted Average (TWA) quoted above is the Work safe Adopted National Exposure Standard for the average airborne concentration when calculated over a normal eight-hour working day, for a five-day working week.

This MSDS is valid for five years from date of issue but readers should contact Jaegar Australia to ensure that this is the latest issue. As per the Work safe Guidance Note NOHSC 3017, each user should review the information in the specific context of the intended application.

CONTACT POINT: General Manager (0408 347 425)
Office: (03) 9769-1788