

# MATERIAL SAFETY DATA SHEET

Date of Issue: 14/01/2008

## STATEMENT OF HAZARDOUS NATURE

Not classified as hazardous according to criteria of Work safe Australia.

## COMPANY DETAILS

Company Jaegar Australia  
Address: 2/9 Tower Crt, Noble Pk 3174  
Telephone: (03) 9769-1788  
Fax: (03) 9769-0655  
Emergency Telephone: 0408 347 425

## IDENTIFICATION

**PRODUCT NAME:** Break Additive (I)

### Other Names:

**Manufacturer's Code:** GR-200

**Un No:** N/A

**Dangerous Goods Class & Subsidiary Risk:** N/A

**Hazchem Code:** N/A

**Poisons Schedule:** N/A

**Use:** Use as received.

## PHYSICAL DESCRIPTION/PROPERTIES

Appearance: Straw Coloured Liquid  
Melting Point: N/A  
Vapour Pressure: N/A  
Specific Gravity: 1.02  
Flash Point: 100°C  
Flammability Limits: N/A  
Solubility in water: 100%

### Other Properties:

Corrosiveness: Not considered corrosive to metals.

PH (1% solution): Not available

## INGREDIENTS

Chemical name and CAS No as defined by the NOHSC Code 1008 list all hazardous substances. Other ingredients which are determined to be non-hazardous are listed by generic name or as "other ingredients determined not to be hazardous".

CHEMICAL NAME	CAS NO	PROPORTION
Surfactants	N/A	0-10%
Heptane Solvent	N/A	>90%

## HEALTH HAZARD INFORMATION

**Acute:** Short-term exposure by ingestion, and eye contact is considered to be harmful.

**SWALLOWED:** Early symptoms following ingestion are expected to be similar to those of alcohol intoxication. Vomiting, cyanosis, headache, rapid breathing and heart beat, low blood pressure, muscle tenderness, and Unconsciousness may follow. Ingestion of large or repeated dose may affect kidney function.

**EYE:** Moderately irritating

**SKIN:** Slightly irritating

**INHALED:** Not normally an inhalation risk due to low vapour pressure at ambient temperatures. At high concentrations, inhalations of mist, or vapours generated upon heating

may cause effects similar to those described under **SWALLOWED**.

## FIRST AID

**SWALLOWED:** Contact a doctor or Poisons Information immediately. Give large amounts of water to drink & induce vomiting.

**EYE:** In case of contact with eyes rinse Remove contact lenses if worn. Flood eyes with plenty of water immediately for at least 15 minutes. Seek medical attention.

**SKIN:** In case of contact with skin remove all contaminated clothing and footwear and rinse skin with plenty of water. If irritation occurs seek medical advice.

**INHALED:** Remove to fresh air. Keep at rest Until fully recovered. Seek medical Advice if effects persist.

**First Aid Facilities:** Fresh water.

## PRECAUTIONS FOR USE

**EXPOSURE:** No value assigned for this specific material by the National Occupational Health & Safety Commission. (Work Safe Australia)

**VENTILATION:** Use in a well ventilated area.

**PERSONAL PROTECTION:** Avoid contact with skin & eyes. Protective clothing must be worn eg: overalls, chemical goggles and impervious gloves. Use with adequate ventilation. If inhalation risk exists wear organic vapour or combined organic vapour/particulate respirator meeting the requirements of AS1715 and AS1716

**FLAMMABILITY:** Non-Combustible liquid

## SAFE HANDLING INFORMATION

**STORAGE & TRANSPORT:** Not defined as Dangerous Good by the Australian Code for the Transport of Dangerous Goods by Road & Rail.

**SPILLS & DISPOSAL:** Shut off all possible sources of ignition. Wear protective equipment to prevent skin & eye contamination. Contain. Absorb spillage using sand, soil or other inert material. Collect into properly labelled waste containers. Contact local authorities with regard to correct disposal. Prevent by any means spillage from entering stormwater drains or waterways. In the event of this contact local emergency services.

**FIRE & EXPLOSION HAZARD:** Non-Combustible material.

## OTHER INFORMATION:

The Peak Limitation quoted above is the Work safe Adopted National Exposure Standard for the maximum or peak airborne concentration over the shortest analytically practicable period of time, which does not exceed 15 minutes.

This MSDS is valid for five years from date of issue but readers should contact Jaegar Australia to ensure that this is the latest issue. As per the Work safe Guidance Note NOHSC 3017, each user should review the information in the specific context of the intended application.

**CONTACT POINT:** General Manager (0408 347 425)  
Office: (03) 9769-1788