

# MATERIAL SAFETY DATA SHEET

Date of Issue: 14/01/2008

## STATEMENT OF HAZARDOUS NATURE

Not classified as hazardous according to criteria of Work safe Australia.

## COMPANY DETAILS

Company Jaeger Australia  
Address: 2/9 Tower Crt, Noble Pk 3174  
Telephone: (03) 9769-1788  
Fax: (03) 9769-0655  
Emergency Telephone: 0408 347 425

## IDENTIFICATION

**PRODUCT NAME:** Graffiti Shield  
**Other Names:**  
**Manufacturer's Code:** GS-200  
**Un No:** Not Regulated  
**Dangerous Goods Class & Subsidiary Risk:** N/A  
**Hazchem Code:** N/A  
**Poisons Schedule:** N/A  
**Use:** Sacrificial Anti-Graffiti Coating. area and

## PHYSICAL DESCRIPTION/PROPERTIES

Appearance: Yellowish to off white emulsion  
Boiling Point: >100°C  
Vapour Pressure(20°C): N/A  
Density: 1.00g/ml  
Flash Point: N/A  
Auto Ignition Temperature: N/A  
Solubility in water: Miscible

## Other Properties:

Corrosiveness: Not considered corrosive to metals.  
PH (1% solution): N/A

## INGREDIENTS

Chemical name and CAS No as defined by the NOHSC Code 1008 list all hazardous substances. Other ingredients which are determined to be non-hazardous are listed by generic name or as "other ingredients determined not to be hazardous".

CHEMICAL NAME	CAS NO	PROPORTION
Acrylic Terpolymers	N/A	0-15%
Synthetic Waxes	N/A	0-15%
Natural Waxes	N/A	0-10%
Mixed Surfactant	N/A	<5%
Additives		<1%
Deionised Water		up to 100%

## HEALTH HAZARD INFORMATION

### Health Effects

To the best of our knowledge the toxicity of this material has not been determined. There have been no known health effects associated with this material. However the materials should be handled under normal industrial hygiene measures.

### Acute:

**SWALLOWED:** N/A  
**EYE:** Will cause eye discomfort and irritation.

**SKIN:** Low order of toxicity. May slightly irritate skin on prolonged and repeated contact.

**INHALED:** Due to low vapour pressure the likelihood of exposure to vapours is extremely low. Intentional concentration and inhalation may be irritating to the eyes and respiratory tract.

## FIRST AID

**SWALLOWED:** DO NOT induce vomiting. Give patient milk to drink. Get prompt medical attention

**EYE:** Wash eyes with copious amounts of water until irritation subsides. Obtain medical attention.

**SKIN:** Remove all contaminated clothing and wash thoroughly with soap and water.

**INHALED:** Remove patient from contaminated area. Administer artificial respiration if breathing has stopped. Keep at rest. Seek prompt medical attention.

## Precautions for use

Do not breathe mists. Ensure adequate ventilation. To avoid accidental contact, wear safety glasses and rubber gloves. Observe normal industrial measures.

## SAFE HANDLING INFORMATION

**STORAGE & TRANSPORT:** Keep container closed. Store in a cool well-ventilated place away from incompatible materials. Protect from direct sunlight and frost. Do not store above 40°C for prolonged periods. Do not store at or below 0°C.

**SPILLS & DISPOSAL:** Shut off source of spill. Contain spilled liquid with sand or other absorbent material. Dispose of contaminated absorbent in accordance to local authority.

**FIRE/EXPLOSION HAZARD:** Use foam, dry chemical to extinguish fire. Will produce carbon dioxide and carbon monoxide on combustion.

## OTHER INFORMATION:

The Peak Limitation quoted above is the Work safe Adopted National Exposure Standard for the maximum or peak airborne concentration over the shortest analytically practicable period of time, which does not exceed 15 minutes.

This MSDS is valid for five years from date of issue but readers should contact Jaeger Australia to ensure that this is the latest issue. As per the Work safe Guidance Note NOHSC 3017, each user should review the information in the specific context of the intended application.

**CONTACT POINT:** General Manager (0408 347 425)  
Office: (03) 9769-1788