

MATERIAL SAFETY DATA SHEET

Date of Issue: 14/01/2008

STATEMENT OF HAZARDOUS NATURE

Hazardous according to criteria of Work safe Australia. This product becomes non-hazardous at concentrations below 3.3%.

COMPANY DETAILS

Company Jaegar Australia
Address: 2/9 Tower Crt, Noble Pk 3174
Telephone: (03) 9769-1788
Fax: (03) 9769-0655
Emergency Telephone: 0408 347 425

IDENTIFICATION

PRODUCT NAME: Beerstone
Other Names:
Manufacturer's Code: RS-115
Un No: 1760
Dangerous Goods Class & Subsidiary Risk: Corrosive 8
Hazchem Code: 2R
Poisons Schedule: 6
Use: Acidic C.I.P cleaner for the brewing industry.
Use at 1.0 to 2.0% v/v.

PHYSICAL DESCRIPTION/PROPERTIES

Appearance: Colourless Acidic Liquid.
Melting Point: N/A
Vapour Pressure: N/A
Specific Gravity: 1.25
Flash Point: Non-flammable
Flammability Limits: Non-flammable
Solubility in water: Miscible in all proportions

Other Properties:

Corrosiveness: Corrosive to most metals.
Reactivity: Contact with combustible material may cause fire
PH (undiluted): 1.0

INGREDIENTS

Chemical name and CAS No as defined by the NOHSC Code 1008 list all hazardous substances. Other ingredients which are determined to be non-hazardous are listed by generic name or as "other ingredients determined not to be hazardous".

CHEMICAL NAME	CAS NO	PROPORTION
Phosphoric Acid	7664-38-2	30 to 80%
Hydroxy Acetic Acid	N/A	<10%
Water	7732-18-5	Balance

HEALTH HAZARD INFORMATION

Health Effects

Acute:

SWALLOWED: Corrosive and poisonous. Causes burns to mouth, throat and gastro intestinal tract.

EYE: Very corrosive. Causes severe burns
Risk of serious damage to eyes.

SKIN: Corrosive. Causes burns.

INHALED: Corrosive mists.

CHRONIC: Prolonged exposure to low concentration solutions may cause irritation to skin, eyes and mucous membranes.

FIRST AID

SWALLOWED: Contact a doctor or Poisons Information Centre immediately. Give patient plenty of water or milk to drink only if patient is fully conscious. Do NOT induce vomiting. If patient is not fully conscious do not give anything by mouth.

EYE: Remove contact lenses if worn. Immediately hold eyes open and flood with water for at least 15 minutes. Contact a doctor or Poisons Information Centre urgently.

SKIN: Remove all contaminated clothing and wash skin thoroughly with water.

INHALED: Remove patient from contaminated area to fresh air. Get medical attention.

First Aid Facilities: Eye wash. Fresh water.

Advice to Doctor: Acidic product. Ulceration could be delayed so for eye contact or ingestion, patient should be re-checked.

PRECAUTIONS FOR USE

EXPOSURE: TWA for Phosphoric Acid is 1 mg/m³.

ENGINEERING CONTROLS: Not applicable.

VENTILATION: Ensure adequate ventilation. Avoid generating and inhaling mists at concentrations above 3.3% without appropriate ventilation.

PERSONAL PROTECTION: Avoid contact with the skin and eyes. Avoid breathing its mist. Wear face shield, overalls or apron and protective footwear. Wear natural rubber, neoprene, nitrile or PVC gloves when using undiluted product. If risk of inhalation of spray mists exists, wear respiratory mask meeting the requirements of AS 1715 and AS 1716.

FLAMMABILITY: Not flammable or combustible.

SAFE HANDLING INFORMATION

STORAGE & TRANSPORT: Dangerous Goods Class -8. Must be stored and transported in accordance with State and Territory Dangerous Goods Regulations.

SPILLS & DISPOSAL: Absorb spillage on vermiculite or similar absorbing material such as sand, soil or sawdust. Collect into properly labelled drums and contact local authorities with regard to correct disposal. Small spills may be flushed away with water. Although by any means possible avoid letting spillage enter into stormwater drains or watercourses.

FIRE/EXPLOSION HAZARD: Non-flammable. Use water fog, foam or dry agent. Danger of violent reaction or explosion. Wear full body protective clothing with breathing apparatus and protective gloves. Dilute. Wash to drain with large quantities of water. Consider evacuation.

OTHER INFORMATION:

The Time Weighted Average (TWA) quoted above is the Work safe Adopted National Exposure Standard for the average airborne concentration when calculated over a normal eight-hour working day, for a five-day working week.

This MSDS is valid for five years from date of issue but readers should contact Jaegar Australia to ensure that this is the latest issue. As per the Work safe Guidance Note NOHSC 3017, each user should review the information in the specific context of the intended application.

CONTACT POINT: General Manager (0408 347 425)
Office: (03) 9769-1788