

MATERIAL SAFETY DATA SHEET

Date of Issue: 14/01/2008

STATEMENT OF HAZARDOUS NATURE

Not classified as hazardous according to criteria of Work safe Australia.

COMPANY DETAILS

Company Jaegar Australia
Address: 2/9 Tower Crt, Noble Pk 3174
Telephone: (03) 9769-1788
Fax: (03) 9769-0655
Emergency Telephone: 0408 347 425

IDENTIFICATION

PRODUCT NAME: Vinyl Gard

Other Names:

Manufacturer's Code: TB-103

Un No: N/A

Dangerous Goods Class

& Subsidiary Risk: N/A

Hazchem Code: N/A

Poisons Schedule: N/A

Use: Apply directly to car or truck vinyl with rag or brush to give instant all over shine.

PHYSICAL DESCRIPTION/PROPERTIES

Appearance: A white emulsion
Melting Point: N/A
Vapour Pressure: N/A
Specific Gravity: N/A
Flash Point: N/A
Flammability Limits: N/A
Solubility in water: Not miscible with water.

Other Properties:

Corrosiveness: Not considered corrosive to metals.
PH (1% solution): Not applicable

INGREDIENTS

Chemical name and CAS No as defined by the NOHSC Code 1008 list all hazardous substances. Other ingredients which are determined to be non-hazardous are listed by generic name or as "other ingredients determined not to be hazardous".

CHEMICAL NAME	CAS NO	PROPORTION
Surfactants	N/A	>5%
Silicone Emulsion	N/A	<10%

HEALTH HAZARD INFORMATION

Health Effects

Acute:

SWALLOWED: Short-term exposure by ingestion is considered to be practically non-hazardous.

EYE: May cause mild aggravation.

SKIN: May cause dryness by defatting.

INHALED: Not applicable.

CHRONIC: Should an unfavourable skin reaction

occur, discontinue use until condition subsides.

FIRST AID

SWALLOWED: Give a glass of water.

EYE: Wash with copious amounts of water.

SKIN: Wash with soap and water.

INHALED: Not applicable as there is no risk of inhalation of vapour.

First Aid Facilities: Fresh water.

Advice to Doctor: Neutral detergent.

PRECAUTIONS FOR USE

EXPOSURE: No exposure standard is allocated for the ingredients.

ENGINEERING CONTROLS: Not applicable.

PERSONAL PROTECTION: No special precautions.

FLAMMABILITY: Not flammable or combustible

SAFE HANDLING INFORMATION

STORAGE & TRANSPORT: No special precautions.

SPILLS & DISPOSAL: May be flushed to sewer with water but prevent larger spillages from entering stormwater drains or watercourses. To contain spillage, absorb on vermiculite or similar absorbing material, in drums. Residues may be flushed away with water.

FIRE/EXPLOSION HAZARD: None.

OTHER INFORMATION:

The Peak Limitation quoted above is the Work safe Adopted National Exposure Standard for the maximum or peak airborne concentration over the shortest analytically practicable period of time, which does not exceed 15 minutes.

This MSDS is valid for five years from date of issue but readers should contact Jaeger Australia to ensure that this is the latest issue. As per the Work safe Guidance Note NOHSC 3017, each user should review the information in the specific context of the intended application.

CONTACT POINT: General Manager (0408 347 425)
Office: (03) 9769-1788