


PERATEC FUNGICIDE

Peratec Fungicide utilises peroxygen chemistry that is specifically formulated for agricultural field crops. This is a new tool to fight against Botrytis in grapes that will not harm the environment or pose a risk to human health and safety. It is an extremely effective fungicide for Botrytis control at a dilution rate of 1:100 on fruit and foliage.



Before treatment...



48hrs after treatment!

BENEFITS.

- **Extremely quick acting 10-30min**
- **Botrytis control close to harvest.**
- **A.W.R.I. Approved**
- **24 hour withholding period**
- **Non residual**
- **Registered in all states**
- **Dramatic reduction in laccase levels in must**
- **Extremely cost effective**
- **Environmentally friendly**
- **Complies with industry standards**

PRODUCT	LABEL RESTRICTIONS ON USE
Jaegar Peratec Fungicide	Use up to 1 day before harvest
Rovral Liquid	Use no later than 7 days before harvest
Crop Care Captan Wg	Use no later than 7 days before harvest
Sumissex 500	Use no later than 9 days before harvest

DIRECTIONS FOR USE:

Grapes	Botrytis	1:100	1L Peratec Fungicide per 100L of water for dilution application of 600-1500L of spray solution per hectare can be applied by concentrate spray application. Always apply same amount of product.
		2:100	

Preventative: Apply at first signs of disease. Apply the first 3 treatments at 1:100 at 5-day intervals, lengthen the application for 5-7 days until harvest.

Curative: Spray diseased plants using a 1:100 rate then continue treatments at 2-7 day intervals as necessary. Use the higher rate if infection is severe or at shorter intervals.

Please contact our office for further information.
State regulations stipulate that all products used must be registered for that purpose.

Jaegar Australia
Factory 2, 9 Tower Court, Noble Park VIC 3174
Tel: (03) 9769 1788 Fax: (03) 9769 0655 Email: jaegar@jaegaraustralia.com.au

